AMENDMENT OF SOLICIT	CATION/MODIFI	CATION OF CONTRACT		1. CONTRACT ID COD	Е		F PAGES
2. AMENDMENT/MODIFICATION NO.	3. EFFECTIVE DATE	4. REQUISITION/PURCHASE REQ. NO.		<u> </u>	ECT N	1 O.(If appli	8 icable)
0001	01-Aug-2002	W16ROE-2162-1693	J. T. No.	LOTI	o.(II uppi	ieuoie)	
6. ISSUED BY CODE	DACA51	7. ADMINISTERED BY (If other than item 6))	CODE			
USA ENGINEER DISTRICT, NEW YORK ATTN: CENAN-CT ROOM 1843 26 FEDERAL PLAZA (DACA51) NEW YORK NY 10278-0090		See Item 6					
8. NAME AND ADDRESS OF CONTRACTOR	(No., Street, County	, State and Zip Code)	Х	9A. AMENDMENT O DACA51-02-R-0020	F SOI	LICITAT	ION NO.
			Х	9B. DATED (SEE ITE 12-Jul-2002			
				10A. MOD. OF CONT	RAC	Γ/ORDE	R NO.
				10B. DATED (SEE IT	ГЕМ 1	13)	
CODE	FACILITY COL	DE L PPLIES TO AMENDMENTS OF SOLI	CIT	ATIONS			
						1-1	
X The above numbered solicitation is amended as set for Offer must acknowledge receipt of this amendment p		•		is extended, X is not	exten	ued.	
or (c) By separate letter or telegram which includes a RECEIVED AT THE PLACE DESIGNATED FOR T REJECTION OF YOUR OFFER. If by virtue of this a provided each telegram or letter makes reference to the	THE RECEIPT OF OFFER amendment you desire to che solicitation and this ame	S PRIOR TO THE HOUR AND DATE SPECIF ange an offer already submitted, such change ma	IED lay be	MAY RESULT IN made by telegram or letter,	BE		
12. ACCOUNTING AND APPROPRIATION D	ATA (II required)						
		O MODIFICATIONS OF CONTRACTS T/ORDER NO. AS DESCRIBED IN IT					
A. THIS CHANGE ORDER IS ISSUED PUR CONTRACT ORDER NO. IN ITEM 10A	RSUANT TO: (Specif				DE IN	THE	
B. THE ABOVE NUMBERED CONTRACT/ office, appropriation date, etc.) SET FOR	RTH IN ITEM 14, PU	RSUANT TO THE AUTHORITY OF F			nange	s in payi	ng
C. THIS SUPPLEMENTAL AGREEMENT	IS ENTERED INTO I	PURSUANT TO AUTHORITY OF:					
D. OTHER (Specify type of modification an	d authority)						
E. IMPORTANT: Contractor is not,	is required to sig	gn this document and return	cop	vies to the issuing office	·.		
14. DESCRIPTION OF AMENDMENT/MODIF where feasible.) DESIGN/BUILD, FY01 AIR FREIGHT TERMINA	_			-	matte	r	
a. The hour and date specified for closing of	f Requests For Propo	sals is extended from August 12, to	Aug	ust 15, 2002 @ 4:OO	p.m.	local ti	me.
b. The following changes shall be made to t	the drawings and spe	ecifications:					
Except as provided herein, all terms and conditions of the c	locument referenced in Iter	n 9A or 10A, as heretofore changed, remains unc	chano	ed and in full force and effec	et.		
15A. NAME AND TITLE OF SIGNER (Type of		16A. NAME AND TITLE OF CO				or print)
		TEL:		EMAIL:			
15B. CONTRACTOR/OFFEROR	15C. DATE SIGNE	D 16B. UNITED STATES OF AME	RIC	A	16C	DATE S	SIGNED
	-	BY			01	-Aug-20	02
(Signature of person authorized to sign)		(Signature of Contracting Of	ffice	er)			

SECTION SF 30 BLOCK 14 CONTINUATION PAGE

SUMMARY OF CHANGES

SECTION SF 30 - BLOCK 14 CONTINUATION PAGE

The following have been added by full text: AMENDMENT 0001

TO OFFERORS

The following changes shall be made to the drawings and specifications.

Drawings

- 1.) The following Reference DRAWINGS are issued as of this amendment for general information regarding the existing facilities.
 - R1.01 FLOOR PLAN
 - R1.02 ROOF & CLERESTORY PLANS
 - R1.03 WALL DETAILS EXTERIOR & WINDOW SCHEDULE
 - R1.04 DOOR & WINDOW DETAILS
 - **R1.05 PLUMBING LAYOUT**
 - R2.01 FLOOR PLAN
 - **R2.02 FOUNDATION & FLOOR PLANS**
 - R2.03 ROOM FINISH SCHEDULE
 - R2.04 ELEVATION ROOF PLAN
 - R2.05 ROOF FRAMING PLAN TYPICAL WALL SECTIONS MISC DETAILS
 - R3.01 FLOOR PLAN & FINISH SCHEDULE
 - R3.02 ELEVATIONS-BLDGS 1748/1749
 - R3.03 ELEVATIONS & ROOF PLAN
 - R3.04 WALL SECTION-BLDGS 1748/1749
 - R3.05 PLAN, ELEVATION & SCHEDULE
 - R4.01 FLOOR PLAN (OLD)
 - R4.02 FLOOR PLAN (NEW)
 - R4.03 ELEVATIONS, WINDOW, DETAILS
 - R4.04 FOUNDATION & FLOOR PLANS
 - R4.05 WALL FRAMING & BRACING DIAGRAM
 - R5.01 WATER SUPPLY SYSTEM AND TREATMENT PLANT
 - R5.02 SANITARY SEWERAGE SYSTEM AND TREATMENT PLANT
 - **R5.03 STORM DRAINAGE SYSTEM**
 - R5.04 STREET LIGHTING SYSTEM
 - **R5.05 ELECTRICAL DISTRIBUTION SYSTEM**
 - R5.06 CENTRAL HEATING/COOLING SYSTEMS

R5.07 NATURAL GAS DISTRIBUTION SYSTEM

R5.08 LIQUID FUEL SYSTEM

R5.09 CATHODIC PROTECTION

R5.10 COMMUNICATION SYSTEM

R6.01 LEGEND

R6.02 CATHODIC PROTECTION DETAILS

R6.03 FUEL LINE PROFILES

R6.04 FUEL LINE PROFILES

R6.05 FUEL PIT DETAILS

R6.06 MISCELLANEOUS FUEL PIT REINFORCING DETAILS

R6.07 FUEL DISTRIBUTIOIN PLAN - AREA B

R6.08 FUEL DISTRIBUTION PLAN - AREA D

R6.09 SITE PLAN - AREA B

R6.10 SITE PLAN - AREA D

R6.11 ELECTRICAL LEGEND SYMBOLS

R6.12 ELECTRICAL LEGEND SYMBOLS

R6.13 GROUNDING DETAILS BUILDING 1819

R7.01 FOUNDATION

R7.02 ROOF FRAMING

R7.03 HEATING, VENTILATION & AC PLAN

R7.04 ELECTRICAL

R7.05 HIGH TEMPERATURE HOT WATER PLAN

R7.06 UTILITIES

R7.07 FLOOR PLAN

R7.08 SECTIONS & ELEVATIONS

R7.09 PLANS, SECTIONS & DETAILS

R7.10 PLUMBING PLAN & DIAGRAM

R7.11 PLUMBING PLAN & DIAGRAM

2.) The following DRAWING omitted from the solicitation is issued as of this amendment.

P2.02 FIRE PROTECTION RISER DIAGRAM

3.) The following DRAWING has been **REVISED but not REISSUED**.

Drawing G01.03, Location Map; **ADD** the following note to this drawing: "General Note: At the discretion of the Government, the truck route may change at any time during construction. The actual route may be 1 to 2 miles longer than what is currently shown."

SPECIFICATIONS

1.) The following SPECIFICATIONS that accompany this amend have been **ADDED** in their entirety.

Section 01355A, ENVIRONMENTAL PROTECTION
Section 01525, SAFETY REQUIREMENTS
Section 13080, SEISMIC PROTECTION FOR MISCELLANEOUS
EQUIPMENT

2.) The following SPECIFICATIONS have been **REVISED** as indicated below.

General

Volume 1 Pages 85 through 89 when printed from the CD ROM do not appear in their proper sequence. Remove these pages from the volume and place these pages at the beginning of this volume.

Volume 1, Ignore page numbering preface "00110) where it appears at the bottom pages 13 through 37 on the CD ROM and printed copies of same. Make pen and ink changes to hard copies.

Bid Schedule

The price schedules (pages 3 to 8 and 90 to 91) issued in Volume 1 of the specifications are deleted in their entirety and replaced with the revised price schedule that accompanies.

Section 00800, Contract Special Requirements

Page 3, paragraph O.4, seventh text line: **DELETE AND REPLACE** the word "appropriated" with the word "appropriate".

Page 5, paragraph V.1: **ADD** the following sentence to the end of paragraph. "Contractor shall follow guidelines pertaining to Foreign Object Damage (FOD) and disruption of aircraft operations".

ADD/INSERT pages 00800-34 through 00800-36, Construction Project Sign Samples that accompany, to the end of this section.

SECTION 00110, SUBMSSION, REQUIREMENTS AND INSTRUCTIONS

Paragraph 2.3.1; **DELETE** paragraph 2.3.1 in its entirety from this section without replacement.

3.4. FACTOR 2 - PAST PERFORMANCE; **INSERT** the following after the last paragraph of this subsection:

Form C, "Past Performance Survey", and a completed copy of appropriate "Past Experience" form, shall be distributed by the Offeror to past clients or subcontractor clients, with instructions to the clients to complete the survey and return the surveys with a copy of Form A or B directly to the Corps of Engineers-New York District, Contracting Division, Attn: Mr. Gerald Gilliard via facsimile or mail, on or before the date proposals are due. This evaluation factor is separate and distinct from the Contracting Officer's responsibility determination. The assessment of the Offeror's past performance will be used as a means of evaluating the relative capability of the Offeror to successfully meet the requirements of the RFP.

SECTION 01010 - PROJECT DESIGN REQUIREMENTS

- 1.) Page 25, paragraph 5.10.13.4 **ADD** the following sentences.
- "Polyester face fiber and PET fibers are prohibited from use in this project."
- "Cushions shall be attached and separate cushions/pads are not acceptable."
- "Carpet flammability shall be minimum Class I."
- 2.) Page 27, paragraph 5.10.19.1 **ADD** the following sentences.
- "Sanitary disposal units in toilet compartments shall be one per side, one sided and flush mounted".
- "Toilet tissue dispensers shall be mounted clear of users. Jumbo roll units shall be mounted high enough to conveniently reach the paper access openings."
- "Mirrors about vanity tops shall be full width of vanity, beveled edge, plate glass mirrors. Top of mirror shall be minimum 80" AFF.
- "Tilted mirrors for ADA compliance is prohibited. Fixed mirrors shall be mounted at height requirements to meet ADA standards."
- 3.) Page 36, paragraph 6.4.2: **ADD** to the end of the second paragraph the following sentence. "Floor flatness at conveyors shall be a minimum of 1/8" over 10'-0" and interfacing conveyors need to remain level with ¼". The conveyor area begins in the AFT terminal at the pallet lift, continue in the ETV enclosure, continue in the ETV enclosure, and end at the far end of staging docks."
- 4.) Page 58, paragraph 8.3.4 **ADD** the following sentence: "Nonmetallic sheathed cable or metallic armored cables are prohibited from use for branch circuits."

SECTION 01012 - DESIGN AFTER AWARD

Paragraph 12.2.5 (5). Delete the parenthesis in this sentence and all text contain therein, without replacement.

Section 00010 - Solicitation Contract Form

ITEM NO 0001	SUPPLIES/SERVICES	QUANTITY 1	UNIT Lump Sum	UNIT PRICE	AMOUNT
	BASE: BUILDING RENO INCLUDING ALL PLAN BELOW				
				NET AMT	
ITEM NO 0002	SUPPLIES/SERVICES BASE BUILDING (4 EA WORK AND ALL DISPO		UNIT Lump Sum WORK INCLU	UNIT PRICE UDING ASBESTOS	AMOUNT
				NET AMT	
ITEM NO 0003	SUPPLIES/SERVICES BASE: SITE WORK INCCURBS AND GUTTERS	QUANTITY 1 LUDING DEMO	UNIT Lump Sum LITION, LAND	UNIT PRICE SCAPING, PAVING,	AMOUNT
				NET AMT	

ITEM NO 0004	SUPPLIES/SERVICES	QUANTITY 1	UNIT Lump Sum	UNIT PRICE	AMOUNT
0001	BASE: ALL DESIGN SE OPTIONAL ITEMS			SERVICES FOR	
				NET AMT	
ITEM NO 0005	SUPPLIES/SERVICES ALL WORK FOR THE F SUBMISSION (See parag			UNIT PRICE	AMOUNT
				NET AMT	
ITEM NO 0006	SUPPLIES/SERVICES OPTIONAL BID ITEM 1 INSTALL MECHANIZE SPECIFICATIONS, INCI STAGING DOCK CANO	LUSIVE OF DESI			AMOUNT
				NET AMT	

DACA51-02-R-0020 0001 Page 8 of 12

AMOUNT

0007 Each 1 OPTIONAL BID ITEM 2 INSTALL STAGING DOCK CANOPY OVER THE MMHS STAGING DOCKS, INCLUSIVE OF DESIGN SERVICES. **NET AMT** SUPPLIES/SERVICES ITEM NO QUANTITY UNIT **UNIT PRICE AMOUNT** 0008 8 Each OPTIONAL BID ITEM 3 INSTALL DOCK EQUIPMENT CONSISTING OF THE DOCK LEVELERS, DOCK LOCKS, DOCK SHELTERS, AND DOCK LIGHTS, INCLUSIVE OF DESIGN SERVICES. **NET AMT** ITEM NO SUPPLIES/SERVICES QUANTITY UNIT UNIT PRICE **AMOUNT** 0009 1 Lump Sum OPTIONAL BID ITEM 4 INSTALL CANOPY OVER TRUCK SCALE (BTWN. COL. LINES 27 AND 28) AND ASSOCIATED CURB, BRICK, ETC, INCLUSIVE OF DESIGN SERVICES. **NET AMT**

UNIT

UNIT PRICE

ITEM NO

SUPPLIES/SERVICES

QUANTITY

ITEM NO SUPPLIES/SERVICES QUANTITY UNIT UNIT PRICE **AMOUNT** 0010 1 Each OPTIONAL BID ITEM 5 REMOVE AND REINSTALL TRUCK SCALE AND CONTROLS, INCLUSIVE OF DESIGN SERVICES. **NET AMT** ITEM NO SUPPLIES/SERVICES QUANTITY UNIT **UNIT PRICE AMOUNT** 0011 1 Each OPTIONAL BID ITEM 6 REMOVE AND REPLACE LIGHT TOWERS TO MATCH BASE STANDARD, INCLUSIVE OF DESIGN SERVICES. **NET AMT** ITEM NO SUPPLIES/SERVICES QUANTITY **UNIT PRICE** UNIT **AMOUNT** 0012 Each OPTIONAL BID ITEM 7 RELOCATE EXISTING ELEVATED HTHW LINE AND CUT NEW CURB OPENING, INCLUSIVE OF DESIGN SERVICES. **NET AMT**

SUPPLIES/SERVICES QUANTITY UNIT UNIT PRICE ITEM NO **AMOUNT** 0013 1 Each OPTIONAL BID ITEM 8 REMOVE EXISTING ASPHALT SHINGLES FROM BLDG 1819, INSTALL STANDING SEAM METAL ROOF OVER 15# ASPHALT UNDERLAYMENT, INCLUSIVE OF DESIGN SERVICES. **NET AMT** ITEM NO SUPPLIES/SERVICES **QUANTITY** UNIT **UNIT PRICE AMOUNT** 0014 1 Each OPTIONAL BID ITEM 9 PROVIDE LANDSCAPE IRRIGATION RAIN WATER RECYCLE SYSTEM FOR BLDGS. 1702 AND 1819, INCLUSIVE OF DESIGN SERVICES. **NET AMT** ITEM NO SUPPLIES/SERVICES **QUANTITY** UNIT UNIT PRICE **AMOUNT** 0015 Each 1 OPTIONAL BID ITEM 10 INSTALL NEW GREASE TRAP AT BUILDING 1706 TO SERVICE PAX TERMINAL KITCHEN, INCLUSIVE OF DESIGN SERVICES. **NET AMT**

ITEM NO 0016	SUPPLIES/SERVICES OPTIONAL BID ITEM 1 INSTALL NEW 6' HIGH CONSTRUCTION FENC. TEMPORARY CONSTRUMESH. CUSTOM PAINT DUMPSTERS TO MATO DESIGN SERVICES.	H WOOD SHADO E IN LIEU OF TI UCTION FENCE Γ ALL CONTRUG	HE 6' HIGH CH. WITH DARK E CTION TRAILE	AIN LINK ROWN FABRIC RS AND	AMOUNT
				NET AMT	
ITEM NO 0017	SUPPLIES/SERVICES OPTIONAL BID ITEM 1 DEDUCT FOR THE DES ENGLISH INCH POUND AS SHOWN ON THE CO	IGN AND CONS S (I-P) IN LIEU (OF INTERNATI		AMOUNT
				NET AMT	
TOT <i>!</i> Note	AL BASE BID + OPTIONS (IT ES;	EMS 0001 TO 001	7): AM(OUNT: \$	

DACA51-02-R-0020 0001 Page 12 of 12

Option #1 through #11: At any time prior to 90 calendar days after award of the contract, the Government at its option, and in the event additional funds are made available for such work to be performed, may direct the Contractor, by written order, to perform the work and/or services to be provided under Option #1 through #11.

Option #12: At any time prior to 30 calendar days after award of the contract, the Government at its option, may direct the Contractor, by written order, to perform the work and/or services provided under Option #12.